

Search Forms

Search

Results

User Searches

Preferences

eRed Folder

Logo Database:

## Freeform Search

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database

US Patents OCR Backfile

EPO Abstracts Database

JPO Abstracts Database

Derwent World Patents Index

IBM Technical Disclosure Bulletin Database

Term:

Display:  Documents in Display Format:  Starting with Number

Generate: ☐ Hit List ☒ Hit Count ☐ Side by Side ☐ Image

Search

Clear

Interrupt

### Search History

DATE: Monday, August 25, 2008 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
side by side			
	<i>DB=PGPB; PLUR=YES; OP=OR</i>		
<a href="#">L37</a>	(encrypt\$4 and key\$1 and (copy\$3 or transfer\$3) and stor\$3 and device\$1 and revision\$1 and (portable or removable)and media and device\$1 and registration and certificate and external and stor\$3 and updat\$3).clm.	0	<a href="#">L37</a>
<a href="#">L36</a>	(encrypt\$4 and key\$1 and (copy\$3 or transfer\$3) and stor\$3 and device\$1 and revision\$1 and (portable or removable)and media and device\$1 and registration and certificate and external and stor\$3).clm.	1	<a href="#">L36</a>
<a href="#">L35</a>	(encrypt\$4 and key\$1 and (copy\$3 or transfer\$3) and stor\$3 and device\$1 and revision\$1 and (portable or removable)and media and device\$1 and registration and certificate).clm.	1	<a href="#">L35</a>
<a href="#">L34</a>	(encrypt\$4 and key\$1 and (copy\$3 or transfer\$3) and stor\$3 and device\$1 and revision\$1 and (portable or removable)and media and device\$1 and registration).clm.	1	<a href="#">L34</a>
<a href="#">L33</a>	(encrypt\$4 and key\$1 and (copy\$3 or transfer\$3) and stor\$3 and device\$1 and revision\$1 and (portable or removable)).clm.	2	<a href="#">L33</a>
<a href="#">L32</a>	(encrypt\$4 and key\$1 and (copy\$3 or transfer\$3) and stor\$3 and device\$1 and network\$3 and content\$1 and distribut\$3 and revision\$1 and history and media and id\$1 and updat\$3 and external and valid\$4).clm.	0	<a href="#">L32</a>

<u>L31</u>	(encrypt\$4 and key\$1 and (copy\$3 or transfer\$3) and stor\$3 and device\$1 and network\$3 and content\$1 and distribut\$3 and revision\$1 and history and media and id\$1).clm.	1	<u>L31</u>
<u>L30</u>	(encrypt\$4 and key\$1 and (copy\$3 or transfer\$3) and stor\$3 and device\$1 and network\$3 and content\$1 and distribut\$3 and revision\$1 and history).clm.	1	<u>L30</u>
<u>L29</u>	(encrypt\$4 and key\$1 and (copy\$3 or transfer\$3) and stor\$3 and device\$1 and network\$3 and content\$1 and distribut\$3).clm.	116	<u>L29</u>
<u>L28</u>	(encrypt\$4 and key\$1 and (copy\$3 or transfer\$3) and stor\$3 and device\$1 and network\$3 and content\$1).clm.	264	<u>L28</u>
<u>L27</u>	(encrypt\$4 and key\$1 and (copy\$3 or transfer\$3) and stor\$3 and device\$1).clm.	1210	<u>L27</u>
<u>L26</u>	(encrypt\$3 and key\$1 and media and id\$1 and content\$1 and version\$1 and history and access\$3 and certificat\$3 and result\$1 and (copy\$3 or transfer\$3)).clm.	0	<u>L26</u>
<u>L25</u>	(encrypt\$3 and key\$1 and media and id\$1 and content\$1 and version\$1 and history and access\$3 and certificat\$3 and result\$1 and number\$1).clm.	0	<u>L25</u>
<u>L24</u>	(encrypt\$3 and key\$1 and media and id\$1 and content\$1 and version\$1 and history and access\$3 and certificat\$3 and result\$1 and random).clm.	0	<u>L24</u>
<u>L23</u>	(encrypt\$3 and key\$1 and media and id\$1 and content\$1 and version\$1 and history and access\$3 and certificat\$3 and result\$1 and read).clm.	0	<u>L23</u>
<u>L22</u>	(encrypt\$3 and key\$1 and media and id\$1 and content\$1 and version\$1 and history and access\$3 and certificat\$3 and result\$1 and read\$3).clm.	0	<u>L22</u>
<u>L21</u>	(encrypt\$3 and key\$1 and media and id\$1 and content\$1 and version\$1 and history and access\$3 and certificat\$3 and result\$1).clm.	1	<u>L21</u>
<u>L20</u>	(encrypt\$3 and key\$1 and media and id\$1 and content\$1 and version\$1 and history and access\$3 and certificat\$3).clm.	1	<u>L20</u>
<u>L19</u>	(encrypt\$3 and key\$1 and media and id\$1 and content\$1 and version\$1 and history and access\$3 and (removable or portable)).clm.	0	<u>L19</u>
<u>L18</u>	(encrypt\$3 and key\$1 and media and id\$1 and content\$1 and version\$1 and history and access\$3 and registrat\$4).clm.	0	<u>L18</u>
<u>L17</u>	(encrypt\$3 and key\$1 and media and id\$1 and content\$1 and version\$1 and history and access\$3).clm.	1	<u>L17</u>
<u>L16</u>	(encrypt\$3 and key\$1 and media and id\$1 and content\$1 and version\$1 and history).clm.	1	<u>L16</u>
<u>L15</u>	(encrypt\$3 and key\$1 and media and id\$1 and content\$1 and version\$1 and revision\$1).clm.	0	<u>L15</u>
<u>L14</u>	(encrypt\$3 and key\$1 and media and id\$1 and content\$1 and version\$1).clm.	29	<u>L14</u>
<u>L13</u>	(encrypt\$3 and key\$1 and media and id\$1).clm.	488	<u>L13</u>
<u>L12</u>	(encrypt\$3 and key\$1 and media and id\$1 and content\$1 and data and portable and validat\$3).clm.	0	<u>L12</u>
<u>L11</u>	((content or data) and management and (archiv\$3 or backup) and (revisiion\$1 or version\$1) and stor\$4 and device\$1 and media and id\$6 and process\$3 and history and updat\$3 and encrypt\$4 and external and access\$3 and key\$1 and read\$3).clm.	0	<u>L11</u>
<u>L10</u>	((content or data) and management and (archiv\$3 or backup) and (revisiion\$1 or version\$1) and stor\$4 and device\$1 and media and id\$6 and process\$3 and	1	<u>L10</u>

	history and updat\$3 and encrypt\$4 and external and access\$3 and key\$1).clm.		
<u>L9</u>	((content or data) and management and (archiv\$3 or backup) and (revisiion\$1 or version\$1) and stor\$4 and device\$1 and media and id\$6 and process\$3 and history and updat\$3 and encrypt\$4 and external and access\$3 and relation).clm.	0	<u>L9</u>
<u>L8</u>	((content or data) and management and (archiv\$3 or backup) and (revisiion\$1 or version\$1) and stor\$4 and device\$1 and media and id\$6 and process\$3 and history and updat\$3 and encrypt\$4 and external and access\$3).clm.	1	<u>L8</u>
<u>L7</u>	((content or data) and management and (archiv\$3 or backup) and (revisiion\$1 or version\$1) and stor\$4 and device\$1 and media and id\$6 and process\$3 and history and updat\$3 and encrypt\$4 and external and validat\$3).clm.	0	<u>L7</u>
<u>L6</u>	((content or data) and management and (archiv\$3 or backup) and (revisiion\$1 or version\$1) and stor\$4 and device\$1 and media and id\$6 and process\$3 and history and updat\$3 and encrypt\$4 and external and certificat\$3).clm.	0	<u>L6</u>
<u>L5</u>	((content or data) and management and (archiv\$3 or backup) and (revisiion\$1 or version\$1) and stor\$4 and device\$1 and media and id\$6 and process\$3 and history and updat\$3 and encrypt\$4 and external).clm.	1	<u>L5</u>
<u>L4</u>	((content or data) and management and (archiv\$3 or backup) and (revisiion\$1 or version\$1) and stor\$4 and device\$1 and media and id\$6 and process\$3 and history and updat\$3 and encrypt\$4 and result\$1).clm.	0	<u>L4</u>
<u>L3</u>	((content or data) and management and (archiv\$3 or backup) and (revisiion\$1 or version\$1) and stor\$4 and device\$1 and media and id\$6 and process\$3 and history and updat\$3 and encrypt\$4 and registrat\$4).clm.	0	<u>L3</u>
<u>L2</u>	((content or data) and management and (archiv\$3 or backup) and (revisiion\$1 or version\$1) and stor\$4 and device\$1 and media and id\$6 and process\$3 and history and updat\$3 and encrypt\$4).clm.	2	<u>L2</u>
<u>L1</u>	((content or data) and management and (archiv\$3 or backup) and (revisiion\$1 or version\$1) and stor\$4 and device\$1 and media and id\$6 and process\$3).clm.	24	<u>L1</u>

END OF SEARCH HISTORY